

SAFETY DATA SHEET

Deadmag Blowfly Strike Dressing Fluid

Version 1.0 Revision Date: 10.08.2016 MSDS Number: 000060003363 Country: AU
Language: EN

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Deadmag Blowfly Strike Dressing Fluid

Product code : 000060003363

Details of the supplier of the safety data sheet

Company: Arysta LifeScience North America LLC
c/o Level 3, 70 Hindmarsh Square
Adelaide SA
Australia
5000
Telephone : + 61 8 8112 0900

Supplier

FMC Australasia Pty Ltd
Building B, Level 2, 12 Julius Avenue
North Ryde, NSW
Australia
2113
Telephone : +61 (0) 2 9887 0900

Prepared by sds.request@arysta.com

Further information for the safety data sheet :
sds.request@arysta.com

1.4 Emergency telephone number

Emergency telephone number: +61 2801 44558, ORICA : 1800 033 111 (24 hr Service)
For advice, contact a Poisons Information Centre (Phone: Australia 131 126 or New Zealand 0800 764 766) or a doctor at once.
For additional emergency telephone numbers see section 16 of the Safety Data Sheet.

Recommended use of the chemical and restrictions on use

Recommended use : For the treatment of blowfly struck sheep.

Restrictions on use : Agriculture
APVMA No: 40138

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Flammable liquids : Category 3

SAFETY DATA SHEET

Deadmag Blowfly Strike Dressing Fluid

Version 1.0 Revision Date: 10.08.2016 MSDS Number: 000060003363 Country: AU
Language: EN

Serious eye damage/eye irritation : Category 2A

Carcinogenicity : Category 2

Aspiration hazard : Category 1

GHS Label element

Hazard pictograms : { error: file not found: C:\WWI\graphics\GHS_flamme.TIF }



Signal word : Danger

Hazard statements : H226 Flammable liquid and vapour.
H304 May be fatal if swallowed and enters airways.
H319 Causes serious eye irritation.
H351 Suspected of causing cancer.

Precautionary statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P233 Keep container tightly closed.
P240 Ground/bond container and receiving equipment.
P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P242 Use only non-sparking tools.
P243 Take precautionary measures against static discharge.
P264 Wash skin thoroughly after handling.
P280 Wear protective gloves/ eye protection/ face protection.
P281 Use personal protective equipment as required.
Response:
P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician.
P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P331 Do NOT induce vomiting.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.
Storage:
P403 + P235 Store in a well-ventilated place. Keep cool.
P405 Store locked up.

SAFETY DATA SHEET

Deadmag Blowfly Strike Dressing Fluid

Version 1.0 Revision Date: 10.08.2016 MSDS Number: 000060003363 Country: AU
Language: EN

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

Very toxic to aquatic life with long lasting effects.

Dangerous goods

Hazardous substance

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture
Chemical nature : Propetamphos 14 g/L

Hazardous components

Chemical Name	CAS-No.	Concentration (% w/w)
Solvent naphtha (petroleum), heavy arom.	64742-94-5	>= 30 - < 60
1,4-dichlorobenzene	106-46-7	>= 30 - < 60
propetamphos	31218-83-4	< 10

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.
Consult a physician.
Show this safety data sheet to the doctor in attendance.

For advice, contact a Poisons Information Centre (Phone: Australia 131 126 or New Zealand 0800 764 766) or a doctor at once.

If inhaled : Move to fresh air in case of accidental inhalation of dust or fumes from overheating or combustion.
If symptoms persist, call a physician.

In case of skin contact : Take off contaminated clothing and shoes immediately.
Wash off with soap and plenty of water.
If symptoms persist, call a physician.

In case of eye contact : Immediately flush eye(s) with plenty of water.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.

If swallowed : Clean mouth with water and drink afterwards plenty of water.
Do NOT induce vomiting.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
Obtain medical attention.

SAFETY DATA SHEET

Deadmag Blowfly Strike Dressing Fluid

Version 1.0 Revision Date: 10.08.2016 MSDS Number: 000060003363 Country: AU
Language: EN

Most important symptoms and effects, both acute and delayed : irritant effects
Symptoms may be delayed.
May be fatal if swallowed and enters airways.
Causes skin irritation.
Suspected of causing cancer.

Notes to physician : The first aid procedure should be established in consultation with the doctor responsible for industrial medicine.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Alcohol-resistant foam
Dry chemical

Unsuitable extinguishing media : High volume water jet

Specific hazards during fire-fighting : Do not use a solid water stream as it may scatter and spread fire.
Do not allow run-off from fire fighting to enter drains or water courses.

Specific extinguishing methods : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
For safety reasons in case of fire, cans should be stored separately in closed containments.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Ensure adequate ventilation.

Environmental precautions : Do not flush into surface water or sanitary sewer system.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Avoid formation of aerosol. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

SAFETY DATA SHEET

Deadmag Blowfly Strike Dressing Fluid

Version 1.0 Revision Date: 10.08.2016 MSDS Number: 000060003363 Country: AU
Language: EN

- Advice on safe handling : Avoid exceeding the given occupational exposure limits (see section 8).
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.
- Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.
When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.
- Conditions for safe storage : No smoking.
Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Solvent naphtha (petroleum), heavy arom.	64742-94-5	TWA	200 mg/m ³ (total hydrocarbon vapor)	ACGIH
1,4-dichlorobenzene	106-46-7	TWA	25 ppm 150 mg/m ³	AU OEL
	Further information: Category 2 (Carc. 2) Suspected human carcinogen			
		STEL	50 ppm 300 mg/m ³	AU OEL
	Further information: Category 2 (Carc. 2) Suspected human carcinogen			
		TWA	10 ppm	ACGIH

Personal protective equipment

Respiratory protection : In the case of vapour formation use a respirator with an approved filter.

Hand protection

Remarks : Solvent-resistant gloves The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it. Before removing gloves clean them with soap and water.

Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles

SAFETY DATA SHEET

Deadmag Blowfly Strike Dressing Fluid

Version 1.0 Revision Date: 10.08.2016 MSDS Number: 000060003363 Country: AU
Language: EN

Skin and body protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : clear, colourless

Odour : mild, characteristic

Odour Threshold : No data available

pH : No data available

Melting point/range : not determined

Boiling point/boiling range : No data available

Flash point : Not applicable
54 °C
Method: closed cup

Evaporation rate : not determined

Upper explosion limit : not determined

Lower explosion limit : not determined

Vapour pressure : No data available

Relative vapour density : No data available

Density : 1.016 g/cm³

Solubility(ies)
Water solubility : emulsifiable

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : No data available

Viscosity
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

SAFETY DATA SHEET

Deadmag Blowfly Strike Dressing Fluid

Version 1.0 Revision Date: 10.08.2016 MSDS Number: 000060003363 Country: AU
Language: EN

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Stable under recommended storage conditions.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reactions : Stable under recommended storage conditions.
No decomposition if used as directed.
Vapours may form explosive mixture with air.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : None known.

Hazardous decomposition products : Burning produces noxious and toxic fumes.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Components:

propetamphos:

Acute oral toxicity : LD50 (Rat): 75 - 110 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 2.04 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The component/mixture is low toxic after short term inhalation.

Acute dermal toxicity : LD50 (Rat): > 2,300 mg/kg
LD50 (Rabbit): > 10,000 mg/kg

Skin corrosion/irritation

Product:

Remarks: May cause skin irritation in susceptible persons.

Serious eye damage/eye irritation

Product:

Remarks: Vapours may cause irritation to the eyes, respiratory system and the skin.

SAFETY DATA SHEET

Deadmag Blowfly Strike Dressing Fluid

Version 1.0 Revision Date: 10.08.2016 MSDS Number: 000060003363 Country: AU
Language: EN

Respiratory or skin sensitisation

Product:

Remarks: No data available

Chronic toxicity

Further information

Product:

Remarks: Solvents may degrease the skin.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

propetamphos:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 1.3 mg/l
LC50 (Oncorhynchus mykiss (rainbow trout)): 0.36 mg/l
LC50 (Cyprinus carpio (Carp)): 3.7 - 8.8 mg/l

Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): 0.68 - 14.5 mg/l

Persistence and degradability

Components:

propetamphos:

Biodegradability : Remarks: Readily biodegradable, according to appropriate OECD test.

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

SAFETY DATA SHEET

Deadmag Blowfly Strike Dressing Fluid

Version 1.0 Revision Date: 10.08.2016 MSDS Number: 000060003363 Country: AU
Language: EN

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

- Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Offer surplus and non-recyclable solutions to a licensed disposal company.
- Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.
Do not burn, or use a cutting torch on, the empty drum.
-

SECTION 14. TRANSPORT INFORMATION

International Regulation

UNRTDG

- UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(1,4-dichlorobenzene)
Class : 9
Packing group : III
Labels : 9

IATA-DGR

- UN/ID No. : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., Environmentally hazardous substance, liquid, n.o.s.
(1,4-dichlorobenzene)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964

IMDG-Code

- UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(1,4-dichlorobenzene)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : no
-

SAFETY DATA SHEET

Deadmag Blowfly Strike Dressing Fluid

Version 1.0 Revision Date: 10.08.2016 MSDS Number: 000060003363 Country: AU
Language: EN

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

ADG

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(1,4-dichlorobenzene)
Class : 9
Packing group : III
Labels : 9
Remarks : SP No. AU01 Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to this Code when transported by road or rail in;
(a) packagings that do not incorporate a receptacle exceeding 500 kg(L); or
(b) IBCs.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Standard for the Uniform Scheduling of Medicines and Poisons : Schedule 6

Prohibition/Licensing Requirements : There is no applicable prohibition or notification/licensing requirements, including for carcinogens under Commonwealth, State or Territory legislation.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

(Q)SAR - (Quantitative) Structure Activity Relationship; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CPR - Controlled Products Regulations; DIN - Standard of the German Institute for Standardisation; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test

SAFETY DATA SHEET

Deadmag Blowfly Strike Dressing Fluid

Version 1.0 Revision Date: 10.08.2016 MSDS Number: 000060003363 Country: AU
Language: EN

population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; OECD - Organization for Economic Cooperation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TDG - Transportation of Dangerous Goods; UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System; DSL - Domestic Substances List (Canada); KECI - Korea Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); AICS - Australian Inventory of Chemical Substances; IECSC - Inventory of Existing Chemical Substances in China; ENCS - Existing and New Chemical Substances (Japan); ISHL - Industrial Safety and Health Law (Japan); PICCS - Philippines Inventory of Chemicals and Chemical Substances; NZIoC - New Zealand Inventory of Chemicals; TCSI - Taiwan Chemical Substance Inventory; CMR - Carcinogen, Mutagen or Reproductive Toxicant; GLP - Good Laboratory Practice

Date format : dd.mm.yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

AU / EN

Carechem24 International Worldwide Coverage

Emergency Phone Number

<u>Europe:</u>	All European Countries	+44 (0) 1235 239 670 (NCEC)
<u>Asia Pacific:</u>	East / South East Asia – Regional Number	+65 3158 1074
	Australia	+61 2801 44558
	New Zealand	+64 9929 1483
	China	+86 532 8388 9090
	China Taiwan	+86 10 5100 3039
	Japan	+81 345 789 341
	Indonesia	00780 3011 0293
	Malaysia	+60 3 6207 4347
	Thailand	001800 1 2066 6751
	Korea	+65 3158 1285 +82 (0)234 798 401

SAFETY DATA SHEET

Deadmag Blowfly Strike Dressing Fluid

Version
1.0

Revision Date:
10.08.2016

MSDS Number:
000060003363

Country: AU
Language: EN

	Vietnam	+65 3158 1255
	India	+65 3158 1198 0800 100 7479
	Pakistan	+65 3158 1329
	Philippines	+65 31581203
	Sri Lanka	+65 3158 1195
	Emergency Phone Number	+65 3158 1200
<u>Middle East / Africa:</u>	Arabic speaking countries	+44 (0) 1235 239 671
	South Africa	+27 21 300 2732
	All other countries	+44 (0) 1235 239 670
<u>America</u>	United States of America and Canada	+1866 928 0789 +1 215 207 0061
<u>Latin America:</u>	Brazil	+55 11 3197 5891
	Mexico	+52 555 004 8763
	Chile	+56 225 829 336
	All other countries	+44 (0) 1235 239 670