

# Avatar® eVo INSECTICIDE

Version 2.0

Revision Date 15.11.2018 Document no. 130000142066

This SDS adheres to the standards and regulatory requirements of Australia and may not meet the regulatory requirements in other countries.

### 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product name : Avatar® eVo INSECTICIDE

**Other names** : B13162878

Recommended use of the chemical and restriction on use

Recommended use : Insecticide

Manufacturer, importer, supplier

Company : FMC Australasia Pty Ltd

Street address : Building B' Level 2, 12 Julius Avenue,

NORTH RYDE, NSW 2113

Australia

Telephone : 1800 066 355 Customer service 1800 901 939

Telefax : 1800 355 896

**Emergency telephone** : 1800 033 111 (Transport Emergency)

**number** 1800 033 111 (24 hr Emergency Medical Information)

#### 2. HAZARDS IDENTIFICATION

#### **Product hazard classification**

Acute toxicity (Oral) : Category 4

Specific target organ : Category 2 (Central nervous system)

toxicity - single exposure

Specific target organ : Category 1 (Central nervous system)

toxicity - repeated

exposure

Acute aquatic toxicity : Category 1 Chronic aquatic toxicity : Category 1

Endpoints which are not classified, cannot be classified or are not applicable are not shown.

#### Label content

Pictogram :



Signal word : Danger

Hazardous warnings : Harmful if swallowed.

May cause damage to organs. (Central nervous system)

Causes damage to organs through prolonged or repeated exposure. (Central

nervous system)

Very toxic to aquatic life with long lasting effects.



# Avatar® eVo INSECTICIDE

Version 2.0

Revision Date 15.11.2018 Document no. 130000142066

Precautionary statements

Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

Wash skin thoroughly after handling.

Do not eat, drink or smoke when using this product.

IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell.

Rinse mouth.

IF exposed or if you feel unwell: Call a POISON CENTER or doctor/physician.

Get medical advice/ attention if you feel unwell.

Collect spillage. Store locked up.

Dispose of contents/ container to an approved waste disposal plant.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature : Mixture

Components

Chemical NameCAS-No.ConcentrationIndoxacarb173584-44-630 %Silica gel, precipitated, crystalline-free112926-00-810 - 15%Other Ingredients55 - 60%

### 4. FIRST AID MEASURES

If poisoning occurs, contact a doctor or Poisons Information Centre. In Australia 13 11 26.

**Inhalation** : Remove person to fresh air. If signs/symptoms continue, get medical attention.

Artificial respiration and/or oxygen may be necessary.

**Skin contact**: Take off all contaminated clothing immediately. Rinse skin immediately with plenty

of water for 15-20 minutes. Call a poison control center or doctor for treatment

advice.

**Eye contact** : Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove

contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call

a poison control center or doctor for treatment advice.

Ingestion : Call a poison control center or doctor for treatment advice. Have person sip a

glass of water if able to swallow. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an

unconscious person.

Most important symptoms/effects, acute

and delayed

No information available.

**Protection of first-aiders** : No information available.

Notes to physician : Treat symptomatically.

### 5. FIREFIGHTING MEASURES

Suitable extinguishing

media

Water spray, Foam, Dry chemical, Carbon dioxide (CO2)



# Avatar® eVo INSECTICIDE

Version 2.0

Revision Date 15.11.2018 Document no. 130000142066

Unsuitable extinguishing

media

High volume water jet, (contamination risk)

**Specific hazards** : No information available.

Special protective

equipment for firefighters

In the event of fire, wear self-contained breathing apparatus. Use personal

protective equipment.

Specific extinguishing

methods

No information available.

Further information : (on small fires) If area is heavily exposed to fire and if conditions permit, let fire

burn itself out since water may increase the area contaminated. Cool

containers/tanks with water spray.

Hazchem Code : 2Z

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Avoid contact with the skin and the eyes.

Environmental precautions

No information available.

Methods and materials for containment and

cleaning up

Soak up with sawdust, sand, oil dry or other absorbent material. Dispose of in an

approved container.

### 7. HANDLING AND STORAGE

## Handling

**Technical** 

measures/Precautions

Will irritate the eyes and skin. Wash hands after use.

Precautions for safe

handling

No information available.

**Storage** 

Suitable storage

conditions

Store locked up. Store in original container. Store in a cool dry area away from feed, seed or fertilizer. Store away from animals. Keep tightly closed in a dry, cool and well-ventilated place. Keep away from direct sunlight. Keep out of the reach of

children.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Control parameters**

Chemical Name	Occupational Exposure Limits	Regulation
Silica gel, precipitated, crystalline-free		
TWA	10 mg/m3 (Inhalable dust.)	AU NOEL (12 2011)



# Avatar® eVo INSECTICIDE

Version 2.0

Revision Date 15.11.2018 Document no. 130000142066

This value is for inhalable dust containing no asbestos and < 1% crystalline silica.

**Engineering measures** : Use only with adequate ventilation.

Biological occupational

exposure limits

: No information available.

### Personal protective equipment

Respiratory protection : None specified.

Hand protection : Material: Polyvinyl chloride - PVC

Glove length: elbow length

Eye protection : Opening the container and preparing spray:

Face-shield, Goggles

Skin protection : When opening the container, preparing spray and using the prepared spray:,

Wear cotton overalls buttoned to neck and wrist, and a washable hat.

**Hygiene measures** : Avoid contact with skin and eyes. Wash hands before breaks and immediately

after handling the product.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance (Physical state, form, colour, etc.)

Physical state : solid
Form : granular
Colour : white

Odour : Faint odour

Odour Threshold : No information available.

**pH** : 8.4

Melting point/freezing point

No information available.

Initial boiling point and boiling range

No information available.

Flash point : No information available.

**Evaporation rate** : No information available.

**Flammability (solid, gas)** : The product is not flammable.

Upper/lower flammability or explosive limits

Upper explosion limit : No information available. Lower explosion limit : No information available.

**Vapour pressure** : No information available.

**Vapour density** : No information available.



# Avatar® eVo INSECTICIDE

Version 2.0

Revision Date 15.11.2018 Document no. 130000142066

**Density** 

Bulk density : 400 kg/m3

loose

440 kg/m3 Tapped

Solubility(ies)

Water solubility : No information available.

Partition coefficient: n-

octanol/water

No information available.

**Auto-ignition temperature** 

Auto-ignition

: 207 °C

temperature

Decomposition temperature

No information available.

**Viscosity** 

Viscosity, kinematic : No information available.

**Molecular weight** : No information available.

### 10. STABILITY AND REACTIVITY

**Reactivity** : No hazards to be specially mentioned.

**Chemical stability** : Stable at normal temperatures and storage conditions.

Possibility of hazardous

reactions

No information available.

**Conditions to avoid** : No information available.

Materials to avoid : No materials to be especially mentioned.

**Hazardous** : No materials to be especially mentioned.

decomposition products

### 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Oral

Avatar® eVo INSECTICIDE : LD50/Rat: 550 mg/kg

Inhalation

Indoxacarb : LC50/4 h/Rat female: 4.2 mg/l Silica gel, precipitated, crystalline- : LC50/4 h/Rat(dust/mist)

free

Method: OECD Test Guideline 403

An LC50/inhalation/4h/rat could not be determined because no mortality

of rats was observed at the maximum achievable concentration., Information given is based on data obtained from similar substances.

Dermal

Avatar® eVo INSECTICIDE : LD50/Rat male and female: > 5,000 mg/kg

5/9



# Avatar® eVo INSECTICIDE

Version 2.0

Revision Date 15.11.2018 Document no. 130000142066

Skin corrosion/irritation

Avatar® eVo INSECTICIDE Species: Rabbit

Result: No skin irritation

Serious eye damage/eye irritation

Avatar® eVo INSECTICIDE Species: Rabbit

Result: No eye irritation

Respiratory or skin sensitisation

Avatar® eVo INSECTICIDE Species: Mouse

Result: Did not cause sensitisation on laboratory animals.

Germ cell mutagenicity

Indoxacarb Tests on bacterial or mammalian cell cultures did not show mutagenic

effects. Animal testing did not show any mutagenic effects.

Silica gel, precipitated, crystalline-

Animal testing did not show any mutagenic effects. Tests on bacterial or mammalian cell cultures did not show mutagenic effects. Information

Not classifiable as a human carcinogen.

given is based on data obtained from similar substances.

Carcinogenicity

Indoxacarb Animal testing did not show any carcinogenic effects.

Silica gel, precipitated, crystalline-

free

Overall weight of evidence indicates that the substance is not

carcinogenic.

Information given is based on data obtained from similar substances.

Reproductive toxicity

Indoxacarb Reproductive toxicity: Animal testing did not show any effects on fertility.

No toxicity to reproduction

Teratogenicity: Animal testing showed effects on embryo-fetal

development at levels equal to or above those causing maternal toxicity.

Silica gel, precipitated, crystalline-

free

Teratogenicity: Animal testing showed no developmental toxicity.

Information given is based on data obtained from similar substances.

Specific Target Organ Toxicity

Specific target organ toxicity - single exposure

Indoxacarb Target Organs: Central nervous system

The substance or mixture is classified as specific target organ toxicant,

single exposure, category 2.

Silica gel, precipitated, crystalline-

The substance or mixture is not classified as specific target organ

toxicant, single exposure.

Specific target organ toxicity - repeated exposure

Silica gel, precipitated, crystalline-

The substance or mixture is not classified as specific target organ

toxicant, repeated exposure.

**Aspiration hazard** 

Silica gel, precipitated,

crystalline-free

No aspiration toxicity classification

Other

Indoxacarb Repeated dose toxicity:

Inhalation/Rat



# Avatar® eVo INSECTICIDE

Version 2.0

Revision Date 15.11.2018 Document no. 130000142066

Target Organs: Central nervous system, Blood

Central nervous system effects, Incoordination, Increased mortality or

reduced survival, altered hematology

Oral/multiple species Target Organs: Blood altered hematology

Silica gel, precipitated,

crystalline-free

Repeated dose toxicity:

Oral/Rat

NOAEL: 4,000 mg/kg Respiratory effects

### 12. ECOLOGICAL INFORMATION

**Ecotoxicity effects** 

Acute and prolonged toxicity to fish

Silica gel, precipitated, crystalline-

free

LC50/96 h/Danio rerio (zebra fish): > 10,000 mg/l

Method: OECD Test Guideline 203

Information given is based on data obtained from similar substances.

Toxicity to aquatic plants

Silica gel, precipitated, crystalline-

free

ErC50/72 h/Desmodesmus subspicatus (green algae): > 10,000 mg/l Information given is based on data obtained from similar substances. NOEC/72 h/Desmodesmus subspicatus (green algae): 10,000 mg/l Information given is based on data obtained from similar substances.

Acute toxicity to aquatic invertebrates

Avatar® eVo INSECTICIDE

EC50/48 h/Daphnia magna (Water flea): 0.00062 mg/l

Chronic toxicity to fish

Indoxacarb

Early Life-Stage/NOEC/90 d/Oncorhynchus mykiss (rainbow trout): 0.15

mg/l

Chronic toxicity to aquatic Invertebrates

Indoxacarb

NOEC/21 d/Daphnia magna (Water flea): 0.9 mg/l

Persistence and degradability

Indoxacarb

Result: Readily biodegradable

Bioaccumulation

Indoxacarb

Species: Lepomis macrochirus (Bluegill sunfish)

Exposure time: 21 d

Bioconcentration factor (BCF): 77.3 Method: OECD Test Guideline 305

Does not bioaccumulate. Information source: Internal study report

Silica gel, precipitated, crystalline-

free

Does not bioaccumulate.

### Mobility in soil

No information available.

#### Other adverse effects

No information available.

### 13. DISPOSAL CONSIDERATIONS



# Avatar® eVo INSECTICIDE

Version 2.0

Revision Date 15.11.2018 Document no. 130000142066

Waste disposal methods : Dispose of in accordance with local regulations.

**Contaminated packaging** : Triple or preferably pressure rinse containers before disposal.Add rinsings to

spray tank.DO NOT dispose of undiluted chemicals on-site.Puncture and bury empty containers in a local authority landfill.If no landfill is available, bury the

containers below 500 mm in a disposal pit specifically marked

and set up for this purpose clear of waterways, desirable vegetation and tree

roots. Empty containers and product should not be burnt.

### 14. TRANSPORT INFORMATION

**ADG** 

UN number : 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(Indoxacarb)

Class : 9
Packing group : III
Hazchem Code : 2Z

**IMDG** 

UN number : 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(Indoxacarb)

Class : 9 Packing group : III

Marine pollutant : yes (Indoxacarb)

IATA

UN number : 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(Indoxacarb)

Class : 9 Packing group : III

Matters needing attention

for transportation

Not dangerous goods under ADG code when being transported in IBCs or other receptacles < 500 kg (Special Provision AU01). Marine Pollutants in single or

combination packaging containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass per single or inner packaging of 5 KG or less for solids may be transported as non-dangerous goods as provided in section

2.10.2.7 of IMDG code and IATA special provision A197.

### 15. REGULATORY INFORMATION

SUSMP: Schedule 6

### **16. OTHER INFORMATION**

References

SDS Number: 130000142066

**Revision Date/Version** 

Date of first preparation : 03.01.2018 Revision Date : 15.11.2018



# Avatar® eVo INSECTICIDE

Version 2.0

Revision Date 15.11.2018 Document no. 130000142066

Version : 2.0

Significant change from previous version is denoted with a double bar.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The above information relates only to the specific material(s) designated herein and may not be valid for such material(s) used in combination with any other materials or in any process or if the material is altered or processed, unless specified in the text.