

CAUTION

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

TECHNICAL INFORMATION

Active Constituent:
717 g/L PARAFFINIC OIL

Pack Sizes:
205 L



A treatment for the post harvest control of Light brown apple moth and Citrophilus mealybug on Citrus and Mealybug on Rambutans and Lychees as per the Directions for Use.

SAFETY DIRECTIONS

Will irritate the eyes and may irritate the skin. Avoid contact with eyes and skin. When opening the container and preparing the dip, spray wear elbow-length PVC gloves and face shield or goggles. If product gets in eyes, wash it out immediately with water. Wash hands after use. After each day's use, wash gloves and face shield or goggles.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26.
If swallowed **DO NOT** induce vomiting.

SAFETY DATA SHEET

Additional information is listed in the Safety Data Sheet that can be obtained from www.fmccrop.com.au

GENERAL INSTRUCTIONS

This product can be used as either a dip or flood prior to the wax application. Avoid applying immediately prior to waxing as loss of shine and increased weight loss can occur. It is important that fruit be washed prior to waxing.

MIXING INSTRUCTIONS

Ensure that the dip or flood mixture is kept thoroughly agitated prior to and during application. Prolonged pumping can reduce the efficacy of the product. For citrus, monitor wetness by inspecting under the orange calyx regularly. If complete wetness is not achieved, the dip emulsion should be replaced (not topped up) with a fresh mixture. For rambutans, monitor available free oil in tank using oil sensitive cards. If cards **DO NOT** react to oil presence, then dip contents should be replaced, not topped up. This product may be incompatible with fungicides and sanitisers used in citrus packing lines.

DO NOT mix unless the label directs.

Note: calcium hypochlorite, chlorine dioxide and peracetic acid are compatible with this product.

COMPATIBILITY

The compatibility of this product with post harvest fungicides and sanitisers has not been fully tested. Please contact FMC for further information prior to mixing with other products.

Note: calcium hypochlorite is compatible with this product.

DIP DISPOSAL

This is an oil based product that is degraded by sunlight and biological activity. Dispose of used dip solution at a rate not exceeding 20,000 L/ha over an area of dedicated and banded flat land, away from watercourses and any drainage areas that could contaminate watercourses.

Alternatively, store spent dip in suitable containers and once the oil has separated to the top the lower water layer can be decanted and the oil layer disposed of by removal by a local waste oil contractor.

PROTECTION OF LIVESTOCK, WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT contaminate streams, rivers or waterways with the chemical or used container.

STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well ventilated area. **DO NOT** store for prolonged periods in direct sunlight. This container can be recycled if it is clean, dry, free of visible residues and has the drumMUSTER logo visible. Triple rinse container for disposal. Dispose of rinsate by adding it to the spray tank. **DO NOT** dispose of undiluted chemical on site. Wash outside of the container and the cap. Store cleaned container in a sheltered place with cap removed. It will then be acceptable for recycling at any drumMUSTER collection point or similar container management program site. The cap should not be replaced but may be taken separately. If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. **DO NOT** burn empty containers and product. For refillable containers, empty contents fully into application equipment. Close all valves and return to point of supply for refill or storage.

DIRECTIONS FOR USE

CROP	PEST	RATE /100 L	CRITICAL COMMENTS
Citrus	Light brown apple moth larvae	3 L	Dip or flood for at least 30 seconds to ensure complete wetness, including under the calyx. Top up to maintain 3% concentration. Note: The addition of compatible sanitisers to the 3% product solution is highly recommended to control fungal spores in solution. Refer to compatibility section below.
	<i>Citrophilus</i> mealybug		
Rambutans, Lychees	Citrus mealybug	3 L	Dip or flood for at least 30 seconds to ensure complete wetness. Top up to maintain 3% concentration.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION

NOTICE TO BUYER

To the extent permitted by the Competition and Consumer Act (2010) or any relevant legislation of any State or Territory (the "Legislation") all conditions and warranties and statutory or other rights of action, whether arising in contract or tort or whether due to the negligence of FMC or Seller, which buyer or any other user may have against FMC or Seller are hereby excluded provided however that any rights of the buyer pursuant to non-excludable conditions or warranties of the Legislation are expressly preserved. FMC hereby gives notice to buyer and other users that to the extent permitted by the Legislation it will not accept responsibility for any indirect or consequential loss of whatsoever nature arising from the storage, handling or use of this product. Where permitted by the Legislation FMC's liability shall in all circumstances be limited to the replacement of the product, or a refund of the purchase price paid therefor.

The product must be used and applied strictly in accordance with the label instructions and other directions for use. It is impossible to eliminate all risks associated with the use of this product. Such risks may arise from factors such as weather conditions, soil factors, off target movement, unconventional technique, presence of other materials, the manner of use or application, or other unknown factors, all of which are beyond the control of FMC or the Seller. Buyer accepts these risks.

IN A MEDICAL EMERGENCY CALL 1800 033 111 ALL HOURS

The information set forth herein is furnished free of charge and is based on technical data that FMC believes to be reliable. It is intended for use by persons having technical skill at their own discretion and risk. FMC makes no warranties, expressed or implied, and assumes no liability in connection with any of this information. Nothing herein is to be taken as license to operate under or a recommendation to infringe on any patents.

FMC is a trademark of FMC Corporation or an affiliate. © 2020 FMC Corporation. All rights reserved.

Locate® is a registered trademark of ATaMS Pty Ltd.

*Non FMC or ATaMS Trademark.

APVMA Approval No.: 86894/116925

Registered by

ATaMS Pty Ltd
Unit 2, 273 Abbotsford Rd,
Bowen Hills, QLD 4006

Distributed by

FMC Australasia Pty Ltd
Level 2, Building B, 12 Julius Ave
North Ryde NSW 2113
Phone: 1800 066 355
www.fmccrop.com.au

**SPECIALIST ADVICE IN EMERGENCY ONLY 1800 033 111
ALL HOURS – AUSTRALIA WIDE**
